

PRICE LIST



DUO-EC H and V





DUO-EC H - with control CTR-EASY EC (X539-U0.1) for simplified unit management



DUO-EC BP CTR-EASY EC

with control CTR-EASY for EC fans and PRESSURE SWITCH

STANDARD VERSION

Code	Price (€)	WITH pressure switch	Orientation	Code	Price (€)
2XA0Z0120BSH	3.252,00	DUO-EC H 1 •	Horizontal	2XA0 Z012 0BSY	3.579,00
2XB0Z0120BSH	4.012,00	DUO-EC H 2 •	Horizontal	2XB0 Z012 0BSY	4.340,00
2XC0Z0120BSH	6.284,00	DUO-EC H 3 •	Horizontal	2XC0 Z012 0BSY	6.610,00
2XD0Z0120BSH	8.542,00	DUO-EC H 4 •	Horizontal	2XD0 Z012 0BSY	8.705,00
2XE0Z0120BSH	10.717,00	DUO-EC H 5 •	Horizontal	2XE0 Z012 0BSY	10.879,00
2XF0Z0120BSH	16.859,00	DUO-EC H 6 •	Horizontal	2XF0Z0120BSY	17.209,00

MIRRORED VERSION

WITH external disconnecter, differential pressure switches and wiring, WITHOUT probes and by-pass motor
 For remote recovery management add CTR08-PH (also without probes) or EVO-PH (3 probes must be provided)
 To automatically manage the by-pass, provide motor, 3 temperature probes (supply, recovery and expulsion) and CTR08-PH or EVO-PH control
 To manage the anti-frost function, provide the CTR08-PH or EVO-PH control and fit 3 probes (renewal, recovery and expulsion)

DUO-EC V - with control CTR-EASY EC (X539-U0.1) for simplified unit management



DUO-EC BP CTR-EASY EC

with control CTR-EASY for EC fans and PRESSURE SWITCH

STANDARD VERSION

Code	Price (€)	WITH pressure switch	Orientation
2XA0Z0120BSV	3.440,00	DUO-EC V 1 •	Vertical
2XB0Z0120BSV	4.238,00	DUO-EC V 2 •	Vertical
2XC0Z0120BSV	6.622,00	DUO-EC V 3 •	Vertical

WITH external disconnecter, differential pressure switches and wiring, WITHOUT probes and by-pass motor
 For remote recovery management add CTR08-PH (also without probes) or EVO-PH (3 probes must be provided)
 To automatically manage the by-pass, provide motor, 3 temperature probes (supply, recovery and expulsion) and CTR08-PH or EVO-PH control
 To manage the anti-frost function, provide the CTR08-PH or EVO-PH control and fit 3 probes (renewal, recovery and expulsion)



DUO-EC 1 Horizontal



DUO-EC 1 BP CTR08-PH SH
with CTR08-PH


POST elet. POST H₂O C. POST H₂O T. POST H₂O F.



STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XA0 8002 OBSH	3.760,00	•					2XA0 8002 OBSY	4.073,00



DUO-EC 1 BP EVO-PH SH
with EVO-PH

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XA0 C002 OBSH	3.897,00	•					2XA0 C002 OBSY	4.210,00
2XAE C002 OBSH	4.638,00		•				2XAE C002 OBSY	4.964,00
2XAA C002 OBSH	4.352,00			•			2XAA C002 OBSY	4.680,00
2XAB C002 OBSH	4.566,00				•		2XAB C002 OBSY	4.897,00
2XAC C002 OBSH	4.961,00					•	2XAC C002 OBSY	5.277,00



DUO-EC 1 BP EVOD-PH-IP SH
with EVOD-PH-IP

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XA0 T002 OBSH	4.043,00	•					2XA0 T002 OBSY	4.359,00
2XAE T002 OBSH	4.784,00		•				2XAE T002 OBSY	5.112,00
2XAA T002 OBSH	4.498,00			•			2XAA T002 OBSY	4.828,00
2XAB T002 OBSH	4.712,00				•		2XAB T002 OBSY	5.045,00
2XAC T002 OBSH	5.107,00					•	2XAC T002 OBSY	5.425,00



DUO-EC 1 BP EVOD-PH-IP/RS485 SH
with EVOD-PH-IP / RS485

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XA0 R002 OBSH	4.155,00	•					2XA0 R002 OBSY	4.471,00
2XAE R002 OBSH	4.896,00		•				2XAE R002 OBSY	5.224,00
2XAA R002 OBSH	4.610,00			•			2XAA R002 OBSY	4.940,00
2XAB R002 OBSH	4.824,00				•		2XAB R002 OBSY	5.157,00
2XAC R002 OBSH	5.219,00					•	2XAC R002 OBSY	5.538,00

DUO-EC 1 BP NO CONTROL NO Q.E. SH
WITHOUT control, WITHOUT panel

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XA0 0002 OBSH	2.685,00	•					2XA0 0002 OBSY	3.004,00

INCLUDING: Fan motors cabling

EXCLUDED: control framework, differential pressure switches, temperature and engine sensors bypass



DUO-EC 2 Horizontal



DUO-EC 2 BP CTR08-PH SH
with CTR08-PH


POST elet. POST H₂O C. POST H₂O T. POST H₂O F.



STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XB0 8002 OBSH	4.511,00	•					2XB0 8002 OBSY	4.826,00



DUO-EC 2 BP EVO-PH SH
with EVO-PH

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XB0 C002 OBSH	4.648,00	•					2XB0 C002 OBSY	4.963,00
2XBE C002 OBSH	5.635,00		•				2XBE C002 OBSY	5.961,00
2XBA C002 OBSH	5.159,00			•			2XBA C002 OBSY	5.488,00
2XBB C002 OBSH	5.381,00				•		2XBB C002 OBSY	5.713,00
2XBC C002 OBSH	5.804,00					•	2XBC C002 OBSY	6.121,00



DUO-EC 2 BP EVOD-PH-IP SH
with EVOD-PH-IP

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XB0 T002 OBSH	4.749,00	•					2XB0 T002 OBSY	5.112,00
2XBE T002 OBSH	5.781,00		•				2XBE T002 OBSY	6.109,00
2XBA T002 OBSH	5.305,00			•			2XBA T002 OBSY	5.636,00
2XBB T002 OBSH	5.527,00				•		2XBB T002 OBSY	5.860,00
2XBC T002 OBSH	5.950,00					•	2XBC T002 OBSY	6.269,00



DUO-EC 2 BP EVOD-PH-IP/RS485 SH
with EVOD-PH-IP / RS485

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XB0 R002 OBSH	4.906,00	•					2XB0 R002 OBSY	5.224,00
2XBE R002 OBSH	5.893,00		•				2XBE R002 OBSY	6.221,00
2XBA R002 OBSH	5.417,00			•			2XBA R002 OBSY	5.748,00
2XBB R002 OBSH	5.639,00				•		2XBB R002 OBSY	5.972,00
2XBC R002 OBSH	6.062,00					•	2XBC R002 OBSY	6.382,00

DUO-EC 2 BP NO CONTROL NO Q.E. SH
WITHOUT control, WITHOUT panel

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XB0 0002 OBSH	3.436,00	•					2XB0 0002 OBSY	3.756,00

INCLUDING: Fan motors cabling

EXCLUDED: control framework, differential pressure switches, temperature and engine sensors bypass



DUO-EC 3 Horizontal



DUO-EC 3 BP CTR08-PH SH
with CTR08-PH


POST elet. POST H₂O C. POST H₂O T. POST H₂O F.



STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XC0 8002 OBSH	6.764,00	•					2XC0 8002 OBSY	7.081,00



DUO-EC 3 BP EVO-PH SH
with EVO-PH

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XC0 C002 OBSH	6.901,00	•					2XC0 C002 OBSY	7.218,00
2XCE C002 OBSH	7.973,00		•				2XCE C002 OBSY	8.297,00
2XCA C002 OBSH	7.541,00			•			2XCA C002 OBSY	7.870,00
2XCB C002 OBSH	7.811,00				•		2XCB C002 OBSY	8.142,00
2XCC C002 OBSH	8.272,00					•	2XCC C002 OBSY	8.590,00




DUO-EC 3 BP EVOD-PH-IP SH
with EVOD-PH-IP

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XC0 T002 OBSH	7.047,00	•					2XC0 T002 OBSY	7.365,00
2XCE T002 OBSH	8.119,00		•				2XCE T002 OBSY	8.445,00
2XCA T002 OBSH	7.687,00			•			2XCA T002 OBSY	8.017,00
2XCB T002 OBSH	7.957,00				•		2XCB T002 OBSY	8.289,00
2XCC T002 OBSH	8.418,00					•	2XCC T002 OBSY	8.738,00



DUO-EC 3 BP EVOD-PH-IP/RS485 SH
with EVOD-PH-IP / RS485

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XC0 R002 OBSH	7.159,00	•					2XC0 R002 OBSY	7.478,00
2XCE R002 OBSH	8.231,00		•				2XCE R002 OBSY	8.557,00
2XCA R002 OBSH	7.799,00			•			2XCA R002 OBSY	8.129,00
2XCB R002 OBSH	8.069,00				•		2XCB R002 OBSY	8.401,00
2XCC R002 OBSH	8.530,00					•	2XCC R002 OBSY	8.850,00

DUO-EC 3 BP NO CONTROL NO Q.E. SH
WITHOUT control, WITHOUT panel

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XC0 0002 OBSH	5.689,00	•					2XC0 0002 OBSY	6.009,00

INCLUDING: Fan motors cabling

EXCLUDED: control framework, differential pressure switches, temperature and engine sensors bypass



DUO-EC 4 Horizontal



DUO-EC 4 BP CTR08-PH SH
with CTR08-PH


POST eJet. POST H₂O C. POST H₂O T. POST H₂O F.



STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XD0 8002 OBSH	8.977,00	•					2XD0 8002 OBSY	9.136,00



DUO-EC 4 BP EVO-PH SH
with EVO-PH

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XD0 C002 OBSH	9.114,00	•					2XD0 C002 OBSY	9.273,00
2XDF C002 OBSH	10.908,00		•				2XDF C002 OBSY	11.072,00
2XDA C002 OBSH	9.932,00			•			2XDA C002 OBSY	10.096,00
2XDB C002 OBSH	10.218,00				•		2XDB C002 OBSY	10.384,00
2XDC C002 OBSH	10.720,00					•	2XDC C002 OBSY	10.882,00




DUO-EC 4 BP EVOD-PH-IP SH
with EVOD-PH-IP

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XD0 T002 OBSH	9.260,00	•					2XD0 T002 OBSY	9.419,00
2XDF T002 OBSH	11.054,00		•				2XDF T002 OBSY	11.219,00
2XDA T002 OBSH	10.078,00			•			2XDA T002 OBSY	10.243,00
2XDB T002 OBSH	10.364,00				•		2XDB T002 OBSY	10.530,00
2XDC T002 OBSH	10.866,00					•	2XDC T002 OBSY	11.028,00



DUO-EC 4 BP EVOD-PH-IP/RS485 SH
with EVOD-PH-IP / RS485

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XD0 R002 OBSH	9.372,00	•					2XD0 R002 OBSY	9.531,00
2XDF R002 OBSH	11.166,00		•				2XDF R002 OBSY	11.331,00
2XDA R002 OBSH	10.190,00			•			2XDA R002 OBSY	10.355,00
2XDB R002 OBSH	10.476,00				•		2XDB R002 OBSY	10.642,00
2XDC R002 OBSH	10.978,00					•	2XDC R002 OBSY	11.140,00

DUO-EC 4 BP NO CONTROL NO Q.E. SH
WITHOUT control, WITHOUT panel

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XD0 0002 OBSH	7.902,00	•					2XD0 0002 OBSY	8.062,00

INCLUDING: Fan motors cabling

EXCLUDED: control framework, differential pressure switches, temperature and engine sensors bypass



DUO-EC 5 Horizontal



DUO-EC 5 BP CTR08-PH SH
with CTR08-PH


POST elet. POST H₂O C. POST H₂O T. POST H₂O F.



STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XE0 8002 OBSH	11.123,00	•					2XE0 8002 OBSY	11.283,00




DUO-EC 5 BP EVO-PH SH
with EVO-PH

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XE0 C002 OBSH	11.260,00	•					2XE0 C002 OBSY	11.420,00
2XEF C002 OBSH	13.144,00		•				2XEF C002 OBSY	13.307,00
2XEA C002 OBSH	12.078,00			•			2XEA C002 OBSY	12.243,00
2XEB C002 OBSH	12.364,00				•		2XEB C002 OBSY	12.528,00
2XEC C002 OBSH	13.181,00					•	2XEC C002 OBSY	13.344,00




DUO-EC 5 BP EVOD-PH-IP SH
with EVOD-PH-IP

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XE0 T002 OBSH	11.406,00	•					2XE0 C002 OBSY	11.565,00
2XEF T002 OBSH	13.290,00		•				2XEF C002 OBSY	13.454,00
2XEA T002 OBSH	12.224,00			•			2XEA C002 OBSY	12.388,00
2XEB T002 OBSH	12.510,00				•		2XEB C002 OBSY	12.675,00
2XEC T002 OBSH	13.327,00					•	2XEC C002 OBSY	13.491,00



DUO-EC 5 BP EVOD-PH-IP/RS485 SH
with EVOD-PH-IP / RS485

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XE0 R002 OBSH	11.518,00	•					2XE0 R002 OBSY	11.677,00
2XEF R002 OBSH	13.402,00		•				2XEF R002 OBSY	13.566,00
2XEA R002 OBSH	12.336,00			•			2XEA R002 OBSY	12.500,00
2XEB R002 OBSH	12.622,00				•		2XEB R002 OBSY	12.787,00
2XEC R002 OBSH	13.439,00					•	2XEC R002 OBSY	13.603,00

DUO-EC 5 BP NO CONTROL NO Q.E. SH
WITHOUT control, WITHOUT panel

STANDARD VERSION

MIRRORED VERSION

Code	Price (€)	NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC	Code	Price (€)
2XE0 0002 OBSH	10.048,00	•					2XE0 R002 OBSY	10.208,00

INCLUDING: Fan motors cabling

EXCLUDED: control framework, differential pressure switches, temperature and engine sensors bypass



DUO-EC 1 Vertical




DUO-EC 1 BP CTR08-PH SV
with CTR08-PH

POST elet. POST H₂O C. POST H₂O T. POST H₂O F.



STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XA080020BSV	3.948,00	•				



DUO-EC 1 BP EVO-PH SV
with EVO-PH

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XA0C0020BSV	4.085,00	•				
2XAEC0020BSV	4.826,00		•			
2XAAC0020BSV	4.540,00			•		
2XABC0020BSV	4.754,00				•	
2XACC0020BSV	5.149,00					•



DUO-EC 1 BP EVOD-PH-IP SV
with EVOD-PH-IP

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XA0T0020BSV	4.231,00	•				
2XAET0020BSV	4.972,00		•			
2XAAT0020BSV	4.686,00			•		
2XABT0020BSV	4.900,00				•	
2XACT0020BSV	5.295,00					•



DUO-EC 1 BP EVOD-PH-IP/RS485 SV
with EVOD-PH-IP / RS485

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XA0R0020BSV	4.343,00	•				
2XAER0020BSV	5.084,00		•			
2XAAR0020BSV	4.798,00			•		
2XABR0020BSV	5.012,00				•	
2XACR0020BSV	5.407,00					•

DUO-EC 1 BP NO CONTROL NO Q.E. SV
WITHOUT control, WITHOUT panel

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XA000020BSV	2.810,00	•				

INCLUDING: Fan motors cabling

EXCLUDED: control framework, differential pressure switches, temperature and engine sensors bypass



DUO-EC 2 Vertical



DUO-EC 2 BP CTR08-PH SV
with CTR08-PH

POST eJet. 1F POST H₂O C. POST H₂O T. POST H₂O F.



STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XB080020BSV	4.737,00	•				



DUO-EC 2 BP EVO-PH SV
with EVO-PH

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XB0C0020BSV	4.874,00	•				
2XBEC0020BSV	5.861,00		•			
2XBAC0020BSV	5.385,00			•		
2XBBC0020BSV	5.607,00				•	
2XBCC0020BSV	6.030,00					•



DUO-EC 2 BP EVOD-PH-IP SV
with EVOD-PH-IP

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XB0T0020BSV	5.020,00	•				
2XBET0020BSV	6.007,00		•			
2XBAT0020BSV	5.531,00			•		
2XBBT0020BSV	5.753,00				•	
2XBCT0020BSV	6.176,00					•



DUO-EC 2 BP EVOD-PH-IP/RS485 SV
with EVOD-PH-IP / RS485

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XB0R0020BSV	5.132,00	•				
2XBER0020BSV	6.119,00		•			
2XBAR0020BSV	5.643,00			•		
2XBBR0020BSV	5.865,00				•	
2XBCR0020BSV	6.288,00					•

DUO-EC 2 BP NO CONTROL NO Q.E. SV
WHITOUT control, WHITOUT panel

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XB000020BSV	3.599,00	•				

INCLUDING: Fan motors cabling

EXCLUDED: control framework, differential pressure switches, temperature and engine sensors bypass



DUO-EC 3 Vertical



DUO-EC 3 BP CTR08-PH SV
with CTR08-PH

POST elet. 1F POST H₂O C. POST H₂O T. POST H₂O F.



STANDARD VERSION


Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XC080020BSV	7.102,00	•				



DUO-EC 3 BP EVO-PH SV
with EVO-PH

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XC0C0020BSV	7.239,00	•				
2XCEC0020BSV	8.311,00		•			
2XCAC0020BSV	7.879,00			•		
2XCBC0020BSV	8.149,00				•	
2XCCC0020BSV	8.610,00					•



DUO-EC 3 BP EVOD-PH-IP SV
with EVOD-PH-IP

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XC0T0020BSV	7.385,00	•				
2XCET0020BSV	8.457,00		•			
2XCAT0020BSV	8.025,00			•		
2XCBT0020BSV	8.295,00				•	
2XCCT0020BSV	8.756,00					•



DUO-EC 3 BP EVOD-PH-IP/RS485 SV
con EVOD-PH-IP / RS485

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XC0R0020BSV	7.497,00	•				
2XCER0020BSV	8.569,00		•			
2XCAR0020BSV	8.137,00			•		
2XCBR0020BSV	8.407,00				•	
2XCCR0020BSV	8.868,00					•

DUO-EC 3 BP NO CONTROL NO Q.E. SV
SENZA controllo, SENZA quadro

STANDARD VERSION

Code	Price (€)	NO POST	REL-M	BA-AC	BA-AT	BA-AF/AC
2XC000020BSV	5.964,00	•				

COMPRESO: cablaggio motori ventilatori

ESCLUSI: controllo, quadro, pressostati differenziali, sensori temperature e motore by-pass



DUO-EC 6 Horizontal



DUO-EC 6 BP CTR08-PH SH
with CTR08-PH

POST elet. 1F POST H₂O C. POST H₂O T. POST H₂O F.



STANDARD VERSION

MIRRORED VERSION

Codice	Listino (€)	NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC	Codice	Listino (€)
2XF0 8002 OBSH	17.295,00	•					2XF0 8002 OBYH	17.645,00




DUO-EC 6 BP EVO-PH SH
with EVO-PH

STANDARD VERSION

MIRRORED VERSION

		NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC		
2XF0 C002 OBSH	17.432,00	•					2XF0 C002 OBYH	17.782,00
2XFF C002 OBSH	19.366,00		•				2XFF C002 OBYH	19.716,00
2XFA C002 OBSH	18.754,00			•			2XFA C002 OBYH	19.104,00
2XFB C002 OBSH	18.980,00				•		2XFB C002 OBYH	19.330,00
2XFC C002 OBSH	20.332,00					•	2XFC C002 OBYH	20.682,00




DUO-EC 6 BP EVOD-PH-IP SH
with EVOD-PH-IP

STANDARD VERSION

MIRRORED VERSION

		NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC		
2XF0 T002 OBSH	17.578,00	•					2XF0T002OBYH	17.928,00
2XFF T002 OBSH	19.649,00		•				2XFFT002OBYH	19.999,00
2XFA T002 OBSH	18.900,00			•			2XFAT002OBYH	19.250,00
2XFB T002 OBSH	19.126,00				•		2XFBT002OBYH	19.476,00
2XFC T002 OBSH	20.478,00					•	2XFCT002OBYH	20.828,00



DUO-EC 6 BP EVOD-PH-IP/RS485 SH
with EVOD-PH-IP / RS485

STANDARD VERSION

MIRRORED VERSION

		NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC		
2XF0 R002 OBSH	17.690,00	•					2XF0R002OBYH	18.040,00
2XFF R002 OBSH	19.761,00		•				2XFFR002OBYH	20.111,00
2XFA R002 OBSH	19.012,00			•			2XFAR002OBYH	19.362,00
2XFB R002 OBSH	19.238,00				•		2XFBR002OBYH	19.588,00
2XFC R002 OBSH	20.590,00					•	2XF0R002OBYH	20.940,00

DUO-EC 6 BP NO CONTROL NO Q.E. SH
WITHOUT control, WITHOUT panel

STANDARD VERSION

VERSIONE SPECCHIATA

		NO POST	REL-T	BA-AC	BA-AT	BA-AF/AC		
2XF0 0002 OBSH	16.074,00	•					2XF0 0002 OBYH	16.424,00

INCLUDING: Fan motors cabling

EXCLUDED: control framework, differential pressure switches, temperature and engine sensors bypass



Electrical pre/post heating resistances, into the duct

Electrical PRE heating resistances (thermostatic regulation)



Code	Price (€)	Unit	Description
0E10 2012 000M	306,00	DUO-EC H e V 1	Thermostatic resistance 2 kW 1F 1S Ø 200 mm
0E10 4022 500M	583,00	DUO-EC H e V 2	Thermostatic resistance 4 kW 1F 2S Ø 250 mm
0E10 6023 150M	721,00	DUO-EC H e V 3	Thermostatic resistance 6 kW 1F 2S Ø 315 mm
0E10 8024 000T	1.104,00	DUO-EC H 4	Thermostatic resistance 8 kW 3F 2S Ø 400 mm
0E11 2024 000T	1.041,00	DUO-EC H 5	Thermostatic resistance 12 kW 3F 2S Ø 400 mm
0E11 6025 600T	1.441,00	DUO-EC H 6	Thermostatic resistance 16KW 3F 2S Ø 560 mm

Electrical PRE heating water coil, EVO version (only for EVO-PH / EVOD-PH-IP)



Code	Price (€)	Unit	Description
0E30 2012 000M	713,00	DUO-EC H e V 1	Electrical PRE heating EVOPH 2 kW 1F 230V 1S Ø 200 mm
0E30 4022 500M	959,00	DUO-EC H e V 2	Electrical PRE heating EVOPH 4 kW 1F 230V 1S Ø 250 mm
0E30 6023 150M	1.043,00	DUO-EC H e V 3	Electrical PRE heating EVOPH 6kW 1F 230V 1S Ø 315 mm
0E30 8024 000T	1.766,00	DUO-EC H 4	Electrical PRE heating EVOPH 8 kW 3F 400V 1S Ø 400 mm
0E31 2024 000T	1.856,00	DUO-EC H 5	Electrical PRE heating EVOPH 12 kW 3F 400V 1S Ø 400 mm
0E31 6025 600T	2.043,00	DUO-EC H 6	Electrical PRE heating EVOPH 16KW 3F 400V 2S Ø 560 mm

Electrical POST heating water coil, EVO version (only for EVO-PH / EVOD-PH-IP)



Codice	Listino (€)	Unità	Descrizione
0E40 2012 000M	741,00	DUO-EC H e V 1	Electrical POST heating EVOPH 2 kW 1F 230V 1S Ø 200 mm
0E40 4022 500M	987,00	DUO-EC H e V 2	Electrical POST heating EVOPH 4 kW 1F 230V 1S Ø 250 mm
0E40 6023 150M	1.072,00	DUO-EC H e V 3	Electrical POST heating EVOPH 6KW 1F 230V 1S Ø 315 mm
0E40 8024 000T	1.794,00	DUO-EC H 4	Electrical POST heating EVOPH 8 kW 3F 400V 1S Ø 400 mm
0E41 2024 000T	1.884,00	DUO-EC H 5	Electrical POST heating EVOPH 12 kW 3F 400V 1S Ø 400 mm
0E41 6025 600T	2.071,00	DUO-EC H 6	Electrical POST heating EVOPH 16KW 3F 400V 2S Ø 560 mm

For supply of POST electric with the first plant, use the assembly code (recovery and endurance)



H₂O coils (hot, temperate, cold), into the duct

For the supply of batteries and modules with the first system, use the overall code of the machine (see tables above recuperator complete with batteries)

BA-AC COILS (hot) into the duct (only for EVO-PH / EVOD-PH-IP)



Code	Price (€)	Unit	Description
0DE0 0000 0001	473,00	DUO-EC H and V 1	POST coil H ₂ O hot water BA-AC - EVO - Ø 200 mm
0DE0 0000 0002	531,00	DUO-EC H and V 2	POST coil H ₂ O hot water BA-AC - EVO - Ø 250 mm
0DE0 0000 0003	666,00	DUO-EC H and V 3	POST coil H ₂ O hot water BA-AC - EVO - Ø 315 mm
0DE0 0000 0031	851,00	DUO-EC H 4	POST coil H ₂ O hot water BA-AC - EVO - Ø 400 mm
0DE0 0000 0031	851,00	DUO-EC H 5	POST coil H ₂ O hot water BA-AC - EVO - Ø 400 mm
0DE0 0000 0019	1.375,00	DUO-EC H 6	POST coil H ₂ O hot water BA-AC - EVO - Ø 560 mm

BA-AT COIL (temperate) into the duct (only for EVO-PH / EVOD-PH-IP)



Code	Price (€)	Unit	Description
0DE0 0000 0015	696,00	DUO-EC H and V 1	POST coil H ₂ O hot water BA-AT - EVO - Ø 200 mm
0DE0 0000 0016	762,00	DUO-EC H and V 2	POST coil H ₂ O hot water BA-AT - EVO - Ø 250 mm
0DE0 0000 0017	946,00	DUO-EC H and V 3	POST coil H ₂ O hot water BA-AT - EVO - Ø 315 mm
0DE0 0000 0040	1.148,00	DUO-EC H 4	POST coil H ₂ O hot water BA-AT taglia 1 - EVO - Ø 400 mm
0DE0 0000 0040	1.148,00	DUO-EC H 5	POST coil H ₂ O hot water BA-AT taglia 1 - EVO - Ø 400 mm
0DE0 0000 0024	1.610,00	DUO-EC H 6	POST coil H ₂ O hot water BA-AT taglia 1 - EVO - Ø 560 mm

BA-AF/AC COIL (hot/cold) into the duct (only for EVO-PH / EVOD-PH-IP)



Code	Price (€)	Unit	Description
0DE0 0000 0010	1.107,00	DUO-EC H and V 1	POST coil H ₂ O cold/hot water BA-AF/AC size 1 EVO - Ø 200 mm
0DE0 0000 0046	1.202,00	DUO-EC H and V 2	POST coil H ₂ O cold/hot water BA-AF/AC - EVO - Ø 250 mm
0DE0 0000 0047	1.426,00	DUO-EC H and V 3	POST coil H ₂ O cold/hot water BA-AF/AC - EVO - Ø 315 mm
0DE0 0000 0048	1.670,00	DUO-EC H 4	POST coil H ₂ O cold/hot water BA-AF/AC size 1 - EVO - Ø 400 mm
0DE0 0000 0049	1.998,00	DUO-EC H 5	POST coil H ₂ O cold/hot water BA-AF/AC size 4 - EVO - Ø 400 mm
0DE0 0000 0025	3.016,00	DUO-EC H 6	POST coil H ₂ O cold/hot water BA-AF/AC - EVO - Ø 560 mm

Additional siphon (2 total), where provision is made for cold water coil BA-AF / AC or gas DX

For supply of H₂O batteries, with the first plant to use assembly code (recovery and battery)

Coils for the standard version of the machines; for the mirrored version use the mirrored batteries, available with a **5% surcharge** and the code is built 0DE0 0000 0010 => for mirrored machine it becomes 0DEY 0000 0010

DX R410A coil








Code	Price (€)	Unit	Description
0DX000000001	1.268,00	DUO-EC H and V 1	POST coil DX R410A - Ø 200 mm - DUO-EC 1
0DX000000002	1.367,00	DUO-EC H and V 2	POST coil DX R410A - Ø 250 mm - DUO-EC 2
0DX000000003	1.605,00	DUO-EC H and V 3	POST coil DX R410A - Ø 315 mm - DUO-EC 3
0DX000000004	1.739,00	DUO-EC H 4	POST coil DX R410A - Ø 400 mm - DUO-EC 4
0DX000000005	1.851,00	DUO-ED H 5	POST coil DX R410A - Ø 400 mm - DUO-EC 5
0DX000000006	2.880,00	DUO-ED H 6	POST coil DX R410A - Ø 560 mm - DUO-EC 6

Additional siphon (2 total), where provision is made for cold water coil BA-AF / AC or gas DX




ACCESSORIES

AIR QUALITY SENSORS (only for EVO-PH / EVOD-PH-IP)


Code	Price (€)	 CO ₂ /VOC	 CO ₂ to wall	 CO ₂ to duct	 U.R. to duct	 U.R. to wall
0G00 0000 0013	869,00	•				
0G00 0000 0033*	1.022,00	•				
0G00 0000 0012	305,00		•			
0G00 0000 0034*	458,00		•			
0G00 0000 0017	649,00			•		
0G00 0000 0011	305,00				•	
0G00 0000 0022	305,00					•
0G00 0000 0032*	458,00					•

* Codes for probes mounted inside the unit



ROOF COVER HORIZONTAL VERSION

Code	Price (€)	Unit	Description	
0CZ0 0000 0027	131,00	DUO-EC H 1	roof cover	
0CZ0 0000 0028	138,00	DUO-EC H 2	roof cover	
0CZ0 0000 0029	176,00	DUO-EC H 3	roof cover	
0CZ0 0000 0030	252,00	DUO-EC H 4	roof cover	
0CZ0 0000 0031	341,00	DUO-EC H 5	roof cover	
0CZ0 0000 0066	485,00	DUO-EC H 6	roof cover	

ROOF COVER VERTICAL VERSION


Code	Price (€)	Unit	Description	
0CZ000000039	77,00	DUO-EC V 1	roof cover	
0CZ000000040	84,00	DUO-EC V 2	roof cover	
0CZ000000042	98,00	DUO-EC V 3	roof cover	

FILTERS

Code	Price (€)	Quantity	Exhaust 	Supply 	Description
0F4292292048	28,00	1 x	DUO-EC H e V 1		Filter ePM10 50% (ex M5) 292x292x048 mm - SINGLE
0F5292292048	51,00	1 x		DUO-EC H e V 1	Filter ePM1 70% (ex F7) 292x292x048 mm - SINGLE
0F4430350048	47,00	1 x	DUO-EC H e V 2		Filter ePM10 50% (ex M5) 430x350x048 mm - SINGLE
0F5430350048	79,00	1 x		DUO-EC H e V 2	Filter ePM1 70% (ex F7) 430x350x048 mm - SINGLE
0F4400625048	76,00	1 x	DUO-EC H e V 3		Filter ePM10 50% (ex M5) 625x400x048 mm - SINGLE
0F5400625048	149,00	1 x		DUO-EC H e V 3	Filter ePM1 70% (ex F7) 625x400x048 mm - SINGLE
0F4480265048	45,00	3 x	DUO-EC H 4		Filter ePM10 50% (ex M5) 480x265x048 mm - SINGLE
0F5480265048	61,00	3 x		DUO-EC H 4	Filter ePM1 70% (ex F7) 480x265x048 mm - SINGLE
0F4480265048	45,00	4 x	DUO-EC H 5		Filter ePM10 50% (ex M5) 480x265x048 mm - SINGLE
0F5480265048	61,00	4 x		DUO-EC H 5	Filter ePM1 70% (ex F7) 480x265x048 mm - SINGLE
0F40 0000 0017	116,00	3 x	DUO-EC H 6		Filtro ISO Coarse 65% (ex M5) 500x500x048 mm - SINGLE
0F50 0000 0027	166,00	3 x		DUO-EC H 6	Filtro ePM1 75% (ex F7) 500x500x048 mm - SINGLE

For DUO-EC 4 and 6 predict 3 filters for each machine; for DUO-EC 5 predict 4 filters for each machine

ACCESSORIES for COMPLETING THE UNIT

Code	Price (€)	Pressostat 	Sonda 	by-pass MOTOR 	Description
0K10 0000 0000	50,00	•			Differential pressure switch
0ZE0 0000 0003	17,00		•		Temperature probe, L = 3mt
0ZD0 0000 0001	181,00			•	Servomotor 230V 5 Nm 3 points by-pass

Provision of only material, assembly and wiring EXCLUDED



3-WAY VALVES for BA-AF/AC



Code	Price (€)	Unit	Description
0DA0 0000 0008	305,00	DUO-EC H and V 1	3 WAY VALVES 0-10V 24V IP40 200N F1/2"
0DA0 0000 0001	265,00	DUO-EC H and V 1	3 WAY VALVES 3POINTS 230V IP40 200N F1/2"
0DA0 0000 0009	327,00	DUO-EC H and V 2,3/DUO-EC H 4	3 WAY VALVES 0-10V 24V IP40 200N F1"
0DA0 0000 0003	287,00	DUO-EC H and V 2,3/DUO-EC H 4	3 WAY VALVES 3POINTS 230V IP40 200N F1"
0DA0 0000 0010	386,00	DUO-EC H 5	3 WAY VALVES 0-10V 24V IP40 200N F1-1/4"
0DA0 0000 0004	346,00	DUO-EC H 5	3 WAY VALVES 3POINTS 230V IP40 200N F1-1/4"
0DA0 0000 0007	502,00	DUO-EC H 6	3 WAY VALVES 3POINTS 230V IP40 300N F2
0DA0 0000 0012	574,00	DUO-EC H 6	3 WAY VALVES 0-10V 24V IP40 300N F2"

3-WAY VALVES for BA-AT/BA-AC



Code	Price (€)	Unit	Description
0DA0 0000 0008	305,00	DUO-EC H and V 1/2	3 WAY VALVES 0-10V 24V IP40 200N F1/2"
0DA0 0000 0001	265,00	DUO-EC H and V 1/2	3 WAY VALVES 3POINTS 230V IP40 200N F1/2"
0DA0 0000 0005	326,00	DUO-EC H and V 3/DUO-EC H 4 and 5	3 WAY VALVES 0-10V 24V IP40 200N F3/4"
0DA0 0000 0002	286,00	DUO-EC H and V 3/DUO-EC H 4 and 5	3 WAY VALVES 3POINTS 230V IP40 200N F3/4"
0DA0 0000 0003	287,00	DUO-EC H 6	3 WAY VALVES 3POINTS 230V IP40 200N F1"
0DA0 0000 0009	327,00	DUO-EC H 6	3 WAY VALVES 0-10V 24V IP40 200N F1"

With 1 POST water coil, provide: 1 3-way valve 0-10V or 230V.

With 2 POST water coils provide: 1 3-way valve 0-10V or 230V for hot water, 1 3-way valve 0-10V for cold water.

For 0-10V valves, if they are powered at 24V an external transformer is required.

REMOTE PANEL, touch panel



Code	Price (€)	CTR08-PH	EVO-PH	EVOD-PH-IP (*)	EVOD-PH-IP (**)
OZFP R000 0002	99,00	•			
OZFP R000 0001	236,00		•		
OZFP R000 0003	382,00			•	
OZFP R000 0004	494,00				•

Communication protocol for remote management unit: (*) Modbus/TCP (RJ45) or (**) Modbus/RTU (RS485); N.B. : for correct programming of the control panel, when ordered as a spare part, always indicate the serial number of the machine where it will be installed and any coils; N.B. - Not using with version "WITHOUT control, WITHOUT panel"

EASY (X539) for SIMPLIFIED MANAGEMENT unit (for unit WITH disconnecter and wiring)



Code	Price (€)	CTR-EASY	Description
OZFP R000 0014	206,00	•	CTR-EASY (X539) for simplified management unit, watertight box

CVR - Manual speed regulators



Code	Price (€)	CVR	Description
0G00 0000 0019	131,00	DUO-EC all	Speed controller for units with EC fans

In conjunction with the "NO CONTROL NO Q.E."

Provide a switch with fans connected in parallel, or two to make them unbalanced

FEET & HANDLE





Code	Price (€)	DUO-EC H	Description
0V00 0000 0002	47,00	H 1, 2, 3	KIT 4 feet
0V00 0000 0012	71,00	H 4 and 5	KIT 6 feet
OZZO 0000 0187*	20,00	H, all	Handle for opening panels

* Optional handle to facilitate the opening of the panel in case of maintenance (horizontal version only); in the vertical version, the handles are already included in the unit.

The feet, in the vertical version and in the DUO-EC H 6 size, are already included in the unit





OTHER ACCESSORIES

Code	Price (€)	 SIPH	 SKMF-R	Description
OJ10 0000 0000	45,00	•		Standard siphon
OIZO 0000 0200	58,00		DUO-EC H and V 1	Weather protection cowl with network Ø 200 mm
OIZO 0000 0250	65,00		DUO-EC H and V 2	Weather protection cowl with network Ø 250 mm
OIZO 0000 0315	82,00		DUO-EC H and V 3	Weather protection cowl with network Ø 315 mm
OIZO 0000 0400	117,00		DUO-EC H 4	Weather protection cowl with network Ø 400 mm
OIZO 0000 0400	117,00		DUO-EC H 5	Weather protection cowl with network Ø 400 mm
OIZO 0000 0560	152,00		DUO-EC H 6	Weather protection cowl with network Ø 560 mm

Provide 1 siphon more where prevision is made the cold water coil BA-AF / AC or gas DX

PRESSURE or TEMPERATURE CONSTANT CONTROL KIT (only for EVO-PH / EVOD-PH-IP)

Code	Price (€)	 COP	 CAV	Description
OTKP 0000 0002	448,00		DUO-EC H and V 1	Kit COP (constant PRESSURE) Ø 200 mm
OTKP 0000 0003	451,00		DUO-EC H and V 2	Kit COP (constant PRESSURE) Ø 250 mm
OTKP 0000 0004	477,00		DUO-EC H and V 3	Kit COP (constant PRESSURE) Ø 315mm
OTKP 0000 0006	482,00		DUO-EC H 4 and 5	Kit COP (constant PRESSURE) Ø 400mm
OTKPO 000 0009	514,00		DUO-EC H 6	Kit COP (PRESSIONE costante) Ø 560 mm
OTKP V000 0002	484,00		DUO-EC H and V 1	Kit CAV (constant FLOW) Ø 200 mm
OTKP V000 0003	487,00		DUO-EC H and V 2	Kit CAV (constant FLOW) Ø 250 mm
OTKP V000 0004	514,00		DUO-EC H and V 3	Kit CAV (constant FLOW) Ø 315mm
OTKP V000 0006	520,00		DUO-EC H 4 and 5	Kit CAV (constant FLOW) Ø 400mm
OTKP V000 0009	567,00		DUO-EC H 6	Kit CAV (PORTATA costante) Ø 560 mm

BAYONET SILENCERS

Code	Price (€)	Description
OBZO 0000 0010	140,00	DUO-EC H/V 1 BAYONET SILENCERS Ø 200 mm L=900 mm
OBZO 0000 0011	159,00	DUO-EC H/V 2 BAYONET SILENCERS Ø 250 mm L=900 mm
OBZO 0000 0012	183,00	DUO-EC H/V 3 BAYONET SILENCERS Ø 315 mm L=900 mm
OBZO 0000 0013	216,00	DUO-EC H 4/5 BAYONET SILENCERS Ø 400 mm L=900 mm
OZBO 0000 0007	990,00	DUO-EC H 6 CIRCULAR SILENCER WITH OGIVE L=1,5 Ø 560 mm

For different abatements, on request, other types of silencers are available.

Mirrored version

The LIST PRICE is obtained with one fixed surcharge for each size:

Size	Increase
DUO-EC	350,00

This surcharge only applies to vertical units

SALE CONDITIONS

Pices	LIST
Yield	Ex works our factory
Packaging	Standard included
Validity	31.12.2021
Ref.	DUO-EC_2018_PRICE LIST_EN

The CODE is obtained by changing the 11th character:

es.: unit 2XA080020BSV

	Standard	Variations	Mirrored
Code	2XA080020BSV	11° from S to Y	2XA080020BYV
Price	3.948,00	to add 350,00 €	4.298,00

See the data sheet for possible configurations

07-2018

Valid from 01/04/2021



HEAT RECOVERY VENTILATION UNITS for COMMERCIAL and INDUSTRIAL BUILDINGS